
TILSATEC®
Comfort+ Series
Product Guide
RHINOYARN®

Comfort+ Series

TILSATEC®

For businesses who want expertise they can rely on to keep their people safe, Tilsatec deliver high performance hand, arm and body protection solutions. We manufacture our own proprietary cut resistant yarn - the primary source of mechanical protection.

This means we can deliver maximum performance in every fibre of what we do. Because when our gloves perform at their best, your people can perform at theirs.


Introducing The Comfort+ Series, designed to increase comfort for you to wear all day long.



The series is made using our new non-reinforced RhinoYarn® free from alloy and mineral yarns meaning no steel or fibre glass is present, removing the possibility of irritation to the skin.

This new RhinoYarn® structure can be adapted to deliver a broad spectrum of cut levels without compromising the level of comfort or dexterity.

This has enabled the range to be developed to offer cut protection from level B – F according to EN388:2016+A1:2018. Combined with a range of liner gauges from 13 gauge for the more robust tasks through to ultra-lightweight 18 gauge for fine tactility handling; there is a glove style to suit a wide number of working environments and sectors such as assembly and manufacturing to glass handling and metal stamping.



RHINOYARN®

New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear

Industries and Applications

INTRICATE ASSEMBLY · AUTOMOTIVE · GLASS · METAL · CONSTRUCTION · MANUFACTURING

53-6321

CUT F



Comfort+ medium weight cut level **F** glove with sandy nitrile palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 13 gauge seamless liner free from alloy and mineral yarns
- Sandy nitrile palm coating delivers secure dry and oil grip
- Reinforced Thumb for increased durability in high wear zones
- Touchscreen capable

RHINOYARN®

CE · EN388:2018 4X42F · EN407:2020 X1XXXX

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	13gg
Colour	Grey liner / Black coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	6/XS - 11/2XL
Packaging	12 pairs/paper band Sizes 6, 7 & 11 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

53-6311

CUT F



Comfort+ medium weight cut level **F** glove with PU palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 13 gauge seamless liner free from alloy and mineral yarns
- PU Palm coating delivers high levels of dry grip, durability, tactility and dexterity.
- Reinforced Thumb for increased durability in high wear
- Touchscreen capable

RHINOYARN®

CE · EN388:2018 4X43F

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	13gg
Colour	Grey liner / Grey coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	6/XS - 11/2XL
Packaging	12 pairs/paper band Sizes 6, 7 & 11 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

Comfort+ Series

33-6320

CUT **F**



Comfort+ mediumweight cut level **F** liner glove

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 13 gauge seamless liner free from alloy and mineral yarns
- Available in sizes 6-11

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	13gg
Colour	Grey liner
Cuff Style	Knit wrist
Length	220-270mm
Sizes	6/XS - 11/2XL
Packaging	12 pairs/paper band Sizes 6, 7 & 11 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

EN388:2018
3X42F



55-5325

CUT **E**



Comfort+ lightweight cut level **E** glove with microfoam nitrile palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 15 gauge seamless liner free from alloy and mineral yarns
- Microfoam nitrile palm coating delivers ultimate comfort with high tactility and dexterity
- Reinforced Thumb for increased durability in high wear zones
- Touchscreen capable

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	15gg
Colour	Grey liner / Black coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	6/XS - 11/2XL
Packaging	12 pairs/paper band Sizes 6, 7 & 11 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

EN388:2018
4X43E

55-4325

CUT **D**



Comfort+ lightweight cut level **D** glove with microfoam nitrile palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 15 gauge seamless liner free from alloy and mineral yarns
- Microfoam nitrile palm coating delivers ultimate comfort with high tactility and dexterity
- Reinforced Thumb for increased durability in high wear
- Touchscreen capable
- Food approved against aqueous foodstuffs

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	15gg
Colour	Grey liner / Black coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	5/XXS - 12/3XL
Packaging	12 pairs/paper band Sizes 5, 6, 7, 11 & 12 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

except with acidic/fatty foods

EN388:2018
4X43D

Comfort+ Series

55-4311

CUT **D**



Comfort+ lightweight cut level **D** glove with PU palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 15 gauge seamless liner free from alloy and mineral yarns
- PU Palm coating delivers high levels of dry grip, durability, tactility and dexterity.
- Good dry grip for secure handling
- Touchscreen capable
- Available in sizes 5-12

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	15gg
Colour	Grey liner / Grey coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	5/XXS - 12/3XL
Packaging	12 pairs/paper band Sizes 5, 6, 7, 11 & 12 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

EN388:2018 4X42D



58-4325

CUT **D**



Comfort+ ultra-lightweight cut level **D** glove with microfoam nitrile palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 18 gauge seamless liner free from alloy and mineral yarns
- Microfoam nitrile palm coating delivers ultimate comfort with high tactility and dexterity
- Reinforced Thumb for increased durability in high wear
- Touchscreen capable
- Available in sizes 5-12

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	18gg
Colour	Grey liner / Black coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	5/XXS - 12/3XL
Packaging	12 pairs/paper band Sizes 5, 6, 7, 11 & 12 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

EN388:2018 4X42D

58-4311

CUT **D**



Comfort+ ultra-lightweight cut level **D** glove with PU palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 18 gauge seamless liner free from alloy and mineral yarns
- PU Palm coating delivers high levels of dry grip, durability, tactility and dexterity.
- Good dry grip for secure handling
- Touchscreen capable
- Available in sizes 5-12

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	18gg
Colour	Grey liner / Grey coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	5/XXS - 12/3XL
Packaging	12 pairs/paper band Sizes 5, 6, 7, 11 & 12 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

EN388:2018 4X42D

Comfort+ Series

35-4329

CUT D



Comfort+ lightweight cut level **D** liner glove

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 15 gauge seamless liner free from alloy and mineral yarns
- Available in sizes 5-12

RHINOYARN

EN388:2018 3X43D

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	15gg
Colour	Grey liner
Cuff Style	Knit wrist
Length	220-270mm
Sizes	5/XXS - 12/3XL
Packaging	12 pairs/paper band Sizes 5, 6, 7, 11 & 12 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

53-4321

CUT D



Comfort+ medium weight cut level **D** glove with sandy nitrile palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 13 gauge seamless liner free from alloy and mineral yarns
- Sandy nitrile palm coating delivers secure dry and oil grip
- Reinforced Thumb for increased durability in high wear zones
- Touchscreen capable

RHINOYARN

EN388:2018 4X42D

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	13gg
Colour	Grey liner / Black coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	5/XXS - 12/3XL
Packaging	12 pairs/paper band Sizes 5, 6, 7, 11 & 12 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

53-4311

CUT D



Comfort+ medium weight cut level **D** glove with PU palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 13 gauge seamless liner free from alloy and mineral yarns
- PU Palm coating delivers high levels of dry grip, durability, tactility and dexterity.
- Good dry grip for secure handling
- Touchscreen capable
- Available in sizes 5-12

RHINOYARN

EN388:2018 4X42D

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	13gg
Colour	Grey liner / Grey coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	5/XXS - 12/3XL
Packaging	12 pairs/paper band Sizes 5, 6, 7, 11 & 12 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

55-3325

CUT C



Comfort+ lightweight cut level **C** glove with microfoam nitrile palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 15 gauge seamless liner free from alloy and mineral yarns
- Microfoam nitrile palm coating delivers ultimate comfort with high tactility and dexterity
- Reinforced Thumb for increased durability in high wear
- Touchscreen capable

RHINOYARN

EN388:2018 4X43C

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	15gg
Colour	Grey liner / Black coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	6/XS - 11/2XL
Packaging	12 pairs/paper band Sizes 6, 7 & 11 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

Comfort+ Series

53-3314

CUT **C**



Comfort+ high comfort cut level **C** glove with clean PU palm coating

- Incredibly soft and comfortable for all day wear
- New non-reinforced RhinoYarn® structure with UHWMPE and high power spandex for optimal cut and comfort
- 13 gauge seamless liner free from alloy and mineral yarns
- Clean PU coating (ultra-low levels of DMF*)
- Good dry grip for secure handling
- Touchscreen capable
- Tested after washing to domestic and industrial wash

RHINOYARN®

* REACH regulation for DMF content is 1000ppm, glove is tested below 5ppm

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	13gg
Colour	White liner / Grey coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	6/XS - 11/2XL
Packaging	12 pairs/paper band Sizes 6, 7 & 11 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

CE

EN388:2018 4X42C

55-2311

CUT **B**



Comfort+ lightweight cut level **B** glove with PU palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 15 gauge seamless liner free from alloy and mineral yarns
- PU Palm coating delivers high levels of dry grip, durability, tactility and dexterity
- Reinforced Thumb for increased durability in high wear zones
- Touchscreen capable

RHINOYARN®

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing

Gauge	15gg
Colour	Grey liner / Grey coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	5/XXS - 12/3XL
Packaging	12 pairs/paper band Sizes 5, 6, 7, 11 & 12 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

CE

EN388:2018 4X42B

55-2325

CUT **B**



Comfort+ lightweight cut level **B** glove with microfoam nitrile palm coating

- New non-reinforced RhinoYarn® structure for increased comfort and flexibility for all day wear
- 15 gauge seamless liner free from alloy and mineral yarns
- Microfoam nitrile palm coating delivers ultimate comfort with high tactility and dexterity
- Reinforced Thumb for increased durability in high wear
- Touchscreen capable

RHINOYARN®

Applications / Industries

- Assembly
- Automotive industry
- Glass manufacturing
- Metal fabrication / stamping
- Construction
- White goods manufacturing


Gauge	15gg
Colour	Grey liner / Black coating
Cuff Style	Knit wrist
Length	220-270mm
Sizes	6/XS - 11/2XL
Packaging	12 pairs/paper band Sizes 6, 7 & 11 72 pairs/carton Sizes 8, 9 & 10 120 pairs/carton

CE

EN388:2018 4X43B

Glove sizing chart

Tilsatec gloves are available in a range of sizes. To ensure optimum fit and comfort, selecting the correct size glove is essential. Measure your hand against the chart below to see what size glove you need.



Place your right hand on the chart, the red line should sit between your thumb and index finger.

*Select sizes are not standard in all styles. Contact us to discuss your special sizing needs.



Tilsatec UK | **+44 (0)1924 375742** | **info@tilsatec.com** | **www.tilsatec.com**
TILSATEC LIMITED, Flanshaw Lane, Wakefield, West Yorkshire, WF2 9ND, ENGLAND