



Certified Washable
Cut Resistant Range



Product Guide

Glove Laundering Guide for Tilsatec PPE

Reduce your impact on the environment while still making cost effective purchasing decisions and maintaining the level of protection for your workforce?

Through working with customers on a program of product development we can now offer a range of gloves and sleeves which are certified washable without any effect on mechanical performance or comfort allowing you to increase the longevity of your PPE.

As a key supplier into industries such as automotive, metal fabrication and glass, we understand the need for industrial laundering in many applications, which is why we have certified several high cut products to both the IS015797 Industrial Wash Standard as well as ISO 6330 Domestic Wash Standard.





CERTIFIED PERFORMANCE AFTER WASHING



INDUSTRIAL & DOMESTIC WASHING

ISO 15797 is the International Standard that specifies test procedures in the evaluation of workwear and PPE intended to be industrially laundered.

ISO 6330 is the International Standard that specifies domestic washing and drying procedures for textiles and PPE.

All tests required in these standards as well as in the specific standards for protective gloves shall be performed on unused gloves unless otherwise stated. Care instructions are provided on product labels and in user information sheets for all certified washable PPE. The relevant performance standards have been tested on the gloves or sleeves, before and after they have been subjected to the recommended number of cleaning cycles using the claimed cleaning instructions.

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
53-7111 Medium weight cut level F PU palm coated glove with thumb reinforcement		EN388: 2016 4 X 4 3 F	40°C	40°C	хЗ	Industrial/Domestic
			40	0	<u> </u>	
53-7112		EN388: 2016 4 X 4 3 F	40°C	40°C	хЗ	Industrial/Domestic
Lightweight cut level F PU palm coated glove with extended cuff and thumb reinforcement			40	0	<u></u>	
50-6111		EN388: 2016 EN407: 2020 STATE OF THE PROPERTY	60°C	40°C	x5	Industrial
Medium weight cut level F PU palm coated glove with thumb reinforcement			(60)	0	<u>~~~</u>	O
58-6120 Ultra-lightweight cut level F bi-polymer foam palm coated glove		EN388: 2016 4 X 4 3 F	60°C	60°C	х5	Industrial/Domestic
			60	①	X5	

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
50-6121		EN388: 2016 EN407: 2020 STATE OF THE PROPERTY	40°C	Air Dry	х3	Industrial/Domestic
Medium weight cut level F sandy foam nitrile palm coated glove with thumb reinforcement	le with		40		<u>X3</u>	
55-1725	S	EN388:2016 4 X 4 2 A	40°C	Air Dry	х3	Industrial
EnVision lightweight cut level A microfoam palm coated glove	Pu.		40		3	
55-3725		EN388:2016 4 X 4 2 C	40°C	Air Dry	хЗ	Industrial
EnVision lightweight cut level C microfoam palm coated glove			40		X3	
55-6725		EN388:2016 4 X 4 2 F	40°C	Air Dry	х3	Industrial
EnVision lightweight cut level F microfoam palm coated glove			40		X3	
33-6320		EN388: 2016 3 X 4 2 F	40°C	40°C	х5	Industrial
Comfort+ medium weight cut level F liner glove			40	<u></u>	X 5	
35-4329		EN388: 2016 3 x 4 3 D	40°C	40°C	x 5	Industrial
Comfort+ lightweight cut level D liner glove			40	O	X5	
53-3314		EN388: 2016 4 X 4 2 C	40°C	40°C	х5	Industrial
Medium weight cut level C PU palm coated glove			40	<u></u>	X5	
53-6321 Comfort+ medium weight cut level F glove with sandy nitrile palm coating		EN388: 2016 EN407: 2020 STATE OF THE PROPERTY	40°C	40°C	x 5	Industrial
			40	<u>O</u>	<u></u>	① ✓

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
55-2325 Comfort+ lightweight cut level B glove with microfoam nitrile palm coating		EN388: 2016 4 X 4 3 B	40°C	40°C	x5	Industrial
			40	0	<u>x</u> 5	
55-3325		EN388: 2016 4 X 4 3 C	40°C	40°C	x5	Industrial
Comfort+ lightweight cut level C glove with microfoam nitrile palm coating			40	0	<u></u>	
55-4311		EN388: 2016 4 X 4 2 D	40°C	40°C	х5	Industrial
Comfort+ lightweight cut level D glove with PU palm coating			40	0	X 5	
55-4325		EN388: 2016 4 X 4 3 D	40°C	40°C	x 5	Industrial
Comfort+ lightweight cut level D glove with microfoam nitrile palm coating			40	0	X 5	
55-5325		EN388: 2016 4 X 4 3 E	40°C	40°C	x5	Industrial
Comfort+ lightweight cut level E glove with microfoam nitrile palm coating			40	0	<u> </u>	
58-4311		EN388: 2016 4 X 4 2 D	40°C	40°C	x 5	Industrial
Comfort+ ultra- lightweight cut level D glove with PU palm coating			40	0	X5	0
58-4325		EN388: 2016 4 X 4 2 D	40°C	40°C	х5	Industrial/Domestic
Comfort+ ultra- lightweight cut level D glove with microfoam nitrile palm coating			40	0	(15)	0
55-6111 Lightweight cut level F PU palm coated glove		EN388: 2016 4 X 4 3 F	40°C	Air Dry	хЗ	Industrial
			40		<u>X3</u>	

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
55-6121 Lightweight cut level F sandy foam nitrile palm coated glove		EN388: 2016 EN407: 2020 4 X 4 2 F X 1 X X X X	40°C	Air Dry	хЗ	Industrial
			40		<u>X3</u>	
55-5110		EN388: 2016 4 X 4 3 E	60°C	40°C	х5	Industrial/Domestic
Lightweight cut resistant PU palm coated cut level E glove			(m)	0	X 5	
55-5123		EN388: 2016 EN407:2020 STATE OF THE PROPERTY O	60°C	40°C	х5	Industrial
Lightweight cut resistant full nitrile with micropore foam Nitrile palm coated cut level E glove			(EE)	0	X5	0
81-4121		EN388: 2016 3 X 4 X D	60°C	40°C	х5	Industrial
Medium weight cool touch cut D sleeve with comfort cuff (adjustable strap)			667	<u></u>	X5	0
81-6121		EN388: 2016 3 X 4 X F	60°C	40°C	х5	Industrial
Medium weight cool touch cut F sleeve with comfort cuff (adjustable strap)			(60)		(35)	
50-6130		EN388: 2016 EN407: 2020 4 X 4 2 F X 1 X X X X	60°C	40°C	х5	Industrial/Domestic
Medium weight cut level F Latex palm coated glove			60	<u></u>	X5	
55-5120	AN AND AND AND AND AND AND AND AND AND A	EN388: 2016 4 X 4 3 E	40°C	Air Dry	хЗ	Industrial
Lightweight cut resistant micropore foam nitrile palm coated cut level E glove			40		<u></u>	① ~
53-7121 Medium weight cut level F sandy foam nitrile palm coated glove with thumb reinforcement		EN388: 2016 EN407:2020 STATE OF THE PROPERTY O	40°C	Air Dry	хЗ	Industrial
			407		<u>X3</u>	0







