



53-711
CE EN
CUT
9/6
F
A6

Certified Washable Cut Resistant Range



Product Guide

Glove Laundering Guide for Tilsatec PPE

As a business are you looking to reduce your impact on the environment whilst still making cost effective purchasing decisions and maintaining the level of protection for your workforce?

Through working with customers on a program of product development we can now offer a range of gloves and sleeves which are certified washable without any effect on mechanical performance or comfort allowing you to increase the longevity of your PPE.

As a key supplier into industries such as automotive, metal fabrication, glass and food manufacturing we also understand the need for industrial laundering in many applications which is why we have certified several high cut products to both the ISO15797 Industrial Wash Standard as well as ISO 6330 Domestic Wash Standard.



REDUCED WASTE



CERTIFIED PERFORMANCE AFTER WASHING



INDUSTRIAL & DOMESTIC WASHING

ISO 15797 is the International Standard that specifies test procedures in the evaluation of workwear and PPE intended to be industrially laundered.

ISO 6330 is the International Standard that specifies domestic washing and drying procedures for textiles and PPE.

All tests required in these standards as well as in the specific standards for protective gloves shall be performed on unused gloves unless otherwise stated.











Care instructions are provided on product labels and in user information sheets for all certified washable PPE. The relevant performance standards have been tested on the gloves or sleeves, before and after they have been subjected to the recommended number of cleaning cycles using the claimed cleaning instructions. To view product user information sheets visit:

tilsatec.com/resources/user-instructions.

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
53-7111 Medium weight cut level F PU palm coated glove with thumb reinforcement		EN388: 2016 4 X 4 3 F	40°	40°	x3	Industrial/Domestic
53-7112 Medium weight cut level F PU palm coated glove with extended cuff and thumb reinforcement		EN388: 2016 4 X 4 3 F	40°	40°	x3	Industrial/Domestic
53-3314 Comfort+ medium weight cut level C glove with PU palm coating		EN388: 2016 4 X 4 2 C	40°	40°	x3	Industrial/Domestic
50-6111 Medium weight cut level F PU palm coated glove with thumb reinforcement		EN388: 2016 4 X 4 2 F	60°	40°	x5	Industrial
58-6120 Ultra-lightweight 18 gauge cut level F bi-polymer foam palm coated glove		EN388: 2016 4 X 4 3 F	60°	60°	x5	Industrial/Domestic

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
50-6130 Medium weight cut level F latex palm coated glove		EN388: 2016  4 X 4 2 F	60°	40°	x5	Industrial/Domestic  
55-5110 Lightweight PU palm coated cut level E glove		EN388: 2016  3 X 4 3 E	60°	40°	x5	Industrial/Domestic  
55-5123 Lightweight cut level E fully coated nitrile glove with foam nitrile palm		EN388: 2016  3 X 4 3 E EN407:2020  X 1 X X X X	60°	40	x5	Industrial  
81-4121 Medium weight cool touch cut D sleeve with comfort cuff (adjustable strap)		EN388: 2016  3 X 4 X D	60°	40°	x5	Industrial  
81-6121 Medium weight cool touch cut F sleeve with comfort cuff (adjustable strap)		EN388: 2016  3 X 4 X F	60°	40°	x5	Industrial  
50-6121 Medium weight cut level F sandy foam nitrile palm coated glove with thumb reinforcement		EN388: 2016  4 X 4 3 F EN407:2020  X 1 X X X X	40°	Air Dry	x3	Industrial/Domestic  
55-5120 Lightweight cut level E foam nitrile palm coated glove		EN388: 2016  3 X 4 3 E	40°	Air Dry	x3	Industrial  
53-7121 Medium weight cut level F sandy foam nitrile palm coated glove with reinforcement		EN388: 2016  4 X 4 2 F EN407:2020  X 1 X X X X	40°	Air Dry	x3	Industrial/Domestic  

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
55-1725 Tilsatec EnVision cut level A glove with microfoam palm coating		EN388: 2016  4 X 4 2 A	40°	Air Dry	x3	Industrial  
55-3725 Tilsatec EnVision cut level C glove with microfoam palm coating		EN388: 2016  4 X 4 2 C	40°	Air Dry	x3	Industrial  
55-6725 Tilsatec EnVision cut level F glove with microfoam palm coating		EN388: 2016  4 X 4 2 F	40°	Air Dry	x3	Industrial  
55-2325 Comfort+ lightweight cut level B glove with microfoam nitrile palm coating		EN388: 2016  4 X 4 3 B	40°	40°	x5	Industrial  
55-3325 Comfort+ lightweight cut level C glove with microfoam nitrile palm coating		EN388: 2016  4 X 4 2 C	40°	40°	x5	Industrial  
55-4325 Comfort+ lightweight cut level D glove with microfoam nitrile palm coating		EN388: 2016  4 X 4 3 D	40°	40°	x5	Industrial  
55-5325 Comfort+ lightweight cut level E glove with microfoam nitrile palm coating		EN388: 2016  4 X 4 3 E	40°	40°	x5	Industrial  
53-6321 Comfort+ medium weight cut level F glove with sandy nitrile palm coating		EN388: 2016  4 X 4 3 F	40°	40°	x5	Industrial  

Code	Glove	Standards	Washing	Drying	No of Washes	Wash Standards
58-4325		EN388: 2016  4 X 4 3 D	40°	40°	x5	Industrial/Domestic  ✓
55-4311		EN388: 2016  4 X 4 3 D	40°	40°	x5	Industrial  ✓
58-4311		EN388: 2016  4 X 4 3 D	40°	40	x5	Industrial  ✓
90-5113		EN388: 2016  3 X 4 4 E	40°	40°	x3	Industrial/Domestic  ✓  ✓
90-5233		EN388: 2016  3 X 4 4 E	40°	40°	x3	Industrial/Domestic  ✓  ✓



TILSATEC[®]

Tilsatec | +44 (0)1924 375742 | info@tilsatec.com | www.tilsatec.com
TILSATEC LIMITED, Flanshaw Lane, Wakefield, West Yorkshire, WF2 9ND, ENGLAND

